

# The McIntyre RDI System



**For the baling of:**

**Aluminium Cans  
Steel Cans  
Aluminium Foil  
Aluminium Swarf**

**WWW.IUTBEYELER.COM**

**IUT BEYELER , Postfach 55, CH-3700 SPIEZ**

**Tel. 0041-33 437 47 44, Fax: 0041-33 437 70 73, E-Mail: iut@iutbeyeler.com**

# The McIntyre Alpack RDI System



Alpack RDI machines give unbeatable and reliable performance on steel or aluminium cans, aluminium swarf and aluminium foil. In order to handle these potentially difficult materials, all RDI balers are now fitted with wear plates as standard.

Alpack RDI balers are totally automatic, it's only requirement is a feed of material, so once started you can walk away and attend to other aspects of your business.

When fed material, Alpack RDI balers crush and locks it together to produce dense 11" (280mm) cubes. Such dense bales mean that no tying or strapping is needed. The cubes are simply ejected from the machine ready for transportation.

Two versions of the Alpack 5000 are available, one faster than the other, so you can choose a machine to suit your application.

## Complete Automated Can Baling System

The RDI range of balers can also be complemented by the addition of an Alpack 2000 can sorter, which provides an inexpensive way of separating large volumes of steel cans from high value aluminium ones.

[WWW.IUTBEYELER.COM](http://WWW.IUTBEYELER.COM)

**IUT BEYELER, Postfach 55, CH -3700 SPIEZ**  
**Tel. 0041-33 437 47 44, Fax. 0041-33 437 70 73**  
**E-Mail: iut@iutbeyeler.com**

## Technical Data

### Alpack RDI M10

**Capacity** up to 500kg per hour  
**Bale Size** 11" x 11" x 11"  
280mm x 280mm x 280mm  
**Motor** 10hp  
**Weight** 1630kg  
**Length** 3510mm  
**Width** 610mm  
**Height** 1530mm

### Alpack RDI M20

**Capacity** up to 1000kg per hour  
**Bale Size** 11" x 11" x 11"  
280mm x 280mm x 280mm  
**Motor** 2 x 10hp  
**Weight** 1780kg  
**Length** 3510mm  
**Width** 610mm  
**Height** 1530mm

### Alpack 2000 Aluminium/Steel Can Pre-Sorter

**Capacity** 1000kg to 2000kg per hour  
**Motor** 1/2hp 1 phase  
**Weight** 220kg  
**Length** 2530mm  
**Width** 960mm  
**Height** 2020mm

